



PRODUCT CATALOG

Integrated Customization System
System Supplier





CONTENTS

DECORATIVE PANEL·WALL PANEL	01
-----------------------------	----

DECORATIVE LINE BOARD	22
-----------------------	----

MATCHING COLOR·WPC WOOD-PLASTIC DOOR	36
--------------------------------------	----

METAL·FOLD LINE	44
-----------------	----

ARTISTIC BACKGROUND	53
---------------------	----



DECORATIVE PANEL·WALL PANEL)



BAMBOO
CRYSTAL BUMPER



Decorative panel



STRUCTURAL ANALYSIS

- D

Protective film

Protection against wear during transport and installation
- G

Dirt-resistant layer

Water-based decorative surface; Stain-resistant surface layer.
- G

Decorative layer


Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
- G

Impact layer

High-strength anti-impact layer 1mm
- G

Bamboo charcoal layer

Bamboo fiber base layer 5mm 8mm 12mm



Width: 1220mm

length: 2440/2600/2800/3000/6000mm
(Large quantity can be customized in length)

Environmental protection grade: ENF






Environmental protection grade: B1

Performance advantage: waterproof; folding bending shaping; crashproof; flame retardant

CARBON
CRYSTAL BOARD



Decorative panel/wall panel



STRUCTURAL ANALYSIS

- (D) Protective film** Protection against wear during transport and installation
- G Dirt-resistant layer** Water-based decorative surface; Stain-resistant surface layer.
- G Decorative layer** Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
- G Coextrusion layer** High-intensity crystal co-extrusion layer 1mm
- G Carbon fiber layer** Carbon fiber base layer 5mm 8mm 12mm


Width: 1220mm

length: 2440/2600/2800/3000/6000mm
(Large quantity can be customized in length)

Environmental
protection grade: ENF

Environmental
protection grade: B1


Performance advantage: waterproof; folding bending shaping;
crashproof; flame retardant



SPC
HONEYCOMB BOARD



Decorative panel/wall panel



STRUCTURAL ANALYSIS

- | | | |
|------------|-----------------------------|---|
| (D) | Protective film | Protection against wear during transport and installation |
| G | Dirt-resistant layer | Water-based decorative surface; Stain-resistant surface layer. |
| G | Decorative layer | Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from) |
| G | Nanometer layer | Ultrahard polymer nanofilm |
| G | Aluminum core layer | Aircraft aluminum honeycomb core layer 8mm 12mm |



Width: 1220mm

length: 2440/2600/2800/3000/6000mm
(Large quantity can be customized in length)

Environmental protection grade: E1

Environmental protection grade: B1

Performance advantage: waterproof; folding bending shaping; crashproof; flame retardant



1220

BAMBOO AND
WOOD FIBERBOARD



STRUCTURAL ANALYSIS

- 

Protective film

Protection against wear during transport and installation
- 

Dirt-resistant layer

Water-based decorative surface; Stain-resistant surface layer.
- 

Impact layer

High-strength anti-impact layer 1mm
- 

Bamboo and wood fiber layer

Bamboo and wood fiber layer

V joint plate/ Pjoint plate/ seamless plate




Width; thickness: 400/600mm*9mm

length: 2400/2600/2800/3000/3200/3600mm
(Large quantity can be customized in length)

Environmental protection grade: ENF Fire protection level: B1

Performance advantage: Waterproof



600 P seam plate

Width; thickness: 600mm*9mm

length: 2400/2600/2800/3000/3200/3600mm
(Large quantity can be customized in length)

Environmental protection grade: ENF Fire protection level: B1

Performance advantage: Waterproof



400/600 Seamless plate

Width; thickness: 400/600mm*9mm

length: 2400/2600/2800/3000/3200/3600mm
(Large quantity can be customized in length)


Environmental protection grade: ENF Fire protection level: B1

Performance advantage: Waterproof



LCEFIRE BOARD MEDICAL ANTIBACTERIAL BOARD

Decorative panel



STRUCTURAL ANALYSIS

01 Protective film Protection against wear during transport and installation

G Dirt-resistant layer Water-based decorative surface; Stain-resistant surface layer.

G Decorative layer Moisture-proof, eco-friendly, high-definition on decorative film middle layer (over a hundred patterns to choose from)

C) Cement layer Silica-magnesia cement

Width: 1220mm

length: 2440/1305/0mm

Environmental protection grade: ENF

Environmental protection grade: B1

Performance advantage: Waterproof

6/8 [



1220

STONE SLAB

Decorative panel



STRUCTURAL ANALYSIS

Protective film

Protection against wear during transport and installation

Dirt-resistant layer

Water-based decorative surface; Stain-resistant surface layer.

Decorative layer

Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)

Crystalline layer

Natural stone powder high molecular weight crystalline material


Width: 600mm

length: 2440/2600/2800/3000mm

Environmental protection grade: ENF

Environmental protection grade: B1

Performance advantages: Waterproof, scratch resistant;



Metal
Composite Plate



Decorative panel



STRUCTURAL ANALYSIS

- (D

Protective film

Protection against wear during transport and installation
- G

Dirt-resistant layer

Water-based decorative surface; Stain-resistant surface layer.
- G

Decorative layer

Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
- G

Aluminum layer

High-strength aluminum layer 1mm
- G

Crystalline layer

Natural stone powder high molecular weight crystalline material

Width: 1220mm

length: 2440/2800/3030mm

Environmental protection grade: ENF

Environmental protection grade: B1

Performance advantages: Waterproof, scratch resistant;



1220

MAGNESIUM OXIDE BOARD

Decorative panel



STRUCTURAL ANALYSIS

- (D) Protective film** Protection against wear during transport and installation
- G Dirt-resistant layer** Water-based decorative surface; Stain-resistant surface layer.
- G Decorative layer** Moisture-proof, eco-friendly, high-definition on decorative film middle layer (over a hundred patterns to choose from)
- G Diamond layer** Improve impact resistance
- G) Rock layer** Increase the overall structure of the plate to prevent cracking

Width: 1220mm

length: 2440/2600/2800/3000/6000mm
(Large quantity can be customized in length)

Environmental protection grade: E1

Environmental protection grade: A1

Performance advantage: Waterproof



MULTIPLE LAYER
SOLID WOOD BOARD



Decorative panel



STRUCTURAL ANALYSIS



(D) Protective film Protection against wear during transport and installation

G Dirt-resistant layer Water-based decorative surface; Stain-resistant surface layer.

G Decorative layer Moisture-proof, eco-friendly, high-definition on decorative film middle layer (over a hundred patterns to choose from)

G Solid wood layer Core is 9-11 solid wood board splicing;

G) Core layer Dense and solid to provide more stable support


Width: 1220mm

length: 2440mm

Environmental protection grade: E1

Environmental protection grade: B1

Performance advantage: Waterproof



BAMBOO CRYSTAL BUMPER

[ENF]
Environmental
protection ENF-grade

□ Flame retardant
B1 grade

□ waterproof and
moistureproof


[+]
Bending
forming




CASE REFERENCE COLOR)



B8021M Bolted wood 1




B501SM Techwood 32




85016M Techwood 33

Warm gray wood grain;

Excellent texture, delicate texture,the color is simple and generous, and the design is exquisite and beautifulThe integration of the two, endowing the home with a "forest" breath



85025M Taiyou



85028M Solid walnut



85027M Swedish birch



CARBON CRYSTAL BOARD

[ENE]

Environmental
protection ENF-grade




Flame retardant
B1 grade




waterproof and
moistureproof



Bending
forming



CASE REFERENCE COLOR)



83036M Techwood 27




85019M Nordic Osmanthus



85026M North American oak

Black wood grain series


Cold and handsome, yet versatile, it embodies the mystery and charm of fashion. The annual rings pattern, quietly interpreting the cycle of time. Let board show a unique touch and look



85034M Swedish cherry wood



85035M Scandinavian cherry wood



85031M Classic walnut



SPC HONEYCOMB BOARD

[ENE]

Environmental
protection ENF-grade



Flame retardant
B1 grade



waterproof and
moistureproof




Bending
forming



CASE REFERENCE COLOR)



83031M Techwood 21



85043M Techwood 24



85013M Ash wood

GRAY WOOD GRAIN SERIES

Like a low-key and profound poem written by nature, it stands out among many decorative materials. Its texture features are the masterpiece of the integration of nature and art, each pattern telling a unique story.



85032M Beech 1



85020M Classic walnut wood



85036M Straight-grained cherry wood

BAMBOO AND WOOD FIBERBOARD

[ENF]

Environmental
protection ENF-grade



Flame retardant
B1 grade




waterproof and
moistureproof

[+]


Bending
forming




CASE REFERENCE COLOR)



A487FG light gray



A488FG Dark gray




A486FG Lunar eclipse ashes

SOLID COLOR - SKIN-TOUCH MORANDI COLOR SYSTEM;


Create high-end business space texture with a sense of style.
In the fierce collision of different materials,
Sparks of innovation are scattered, looking far away,
Looking close up is also full of details



A490FG Deep khaki



A489FG Light khaki



A509FG Ice blue



LCE FIRE BOARD MEDICAL ANTIBACTERIAL BOARD

- [ENF]
Environmental
protection ENF grade
- Flame retardant
B1 grade
- water proof and
moisture proof
- [+]
Bending
forming



CASE REFERENCE COLOR)



86013M Techwood 30



85003M Smoked wood



85009M Relief wood grain 1

ORANGE YELLOW WOOD GRAIN


Based on an orange-yellow hue, either light or dark, it presents a warm, bright visual effect, such as the heartwood of canarywood lies from light orange-yellow to deep reddish-brown.



B801SM Poplar wood



85014M North American white ash



BS00SM water birch

STONE SLAB

[ENF]

Environmental
protection ENF-grade



Flame retardant
B1 grade



waterproof and
moistureproof



Bending
forming



CASE REFERENCE COLOR)



B3012D Ocean wave gray




B3010D Cloudy gray



B3009D Deep Coffee Network

GRAY MARBLE PATTERN


From light gray to dark gray, including silver gray, rice gray and other different gray scales, can meet a variety of decoration needs, can create a quiet, elegant mysterious and other different atmosphere



B3011D Yalun Jin



B3008D Black net pattern



B3006D Respectful Ash Ochre;

METAL COMPOSITE PLATE

[ENE]

Environmental
protection ENF grade



Flame retardant
B1 grade



waterproof and
moistureproof



Bending
forming



CASE REFERENCE COLOR)



A901JS



A902JS



A903JS

FUTURISTIC METAL TEXTURE

Usually presented in regular or irregular lines, such as straight line brushed metal texture has obvious straight lines, giving a simple and neat feeling; while the chaotic line is irregular lines, creating a free and casual visual effect



A904JS



A905JS



A907JS

MAGNESIUM OXIDE BOARD

[ENF]

Environmental
protection ENF-grade



Flame retardant
B1 grade




waterproof and
moistureproof



Bending
forming




CASE REFERENCE COLOR)



83032M Techwood 22



86014M Techwood 31




88017M Swiss wood grain

HIGH-END VERSATILE WOOD GRAIN

Presenting the natural form of wood growth in nature, such as white oak occasionally with wavy or mountain-shaped grain, simulating the natural texture of tree growth, a natural atmosphere to the space.



85010M Relief wood grain 2



88016M Boxwood



85021M Light walnut wood

MULTIPLE LAYER SOLID WOOD BOARD

[ENF]
Environmental
protection ENF-grade

□ Flame retardant
B1 grade

□ waterproof and
moistureproof

[+]
Bending
forming



CASE REFERENCE COLOR)



83031M Techwood 21




B5001M Russian fir;




83043M Techwood 24

DARK WOOD GRAIN STYLE


On a dark base, there are some changes in depth and shade, forming a natural light and shadow effect, making the texture more three-dimensional. For example Italian black wood grain, the black grain is mixed with light gray tones, which enriches the visual expression of the texture.



85032M Beech 1



88030M Nordic walnut



B501SM Techwood 32



DECORATIVE LINE BOARD >



DECORATIVE LINE BOARD PRODUCT CATALOG

[ENF]

Environmental
protection ENF grade




Flame retardant
B1 grade



waterproof and
moistureproof



Bending
forming



WALL SKIRT BOARD


Width; length; thickness: 186.53*3000*8.5mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping

186.53



DISC; SMALL ROUND PLATE

Width; length; thickness: 145.1*3000*8.5mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping

145.1



VOLCANIC PLATE

Width; length; thickness: 154*3000*15mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping

154



GRATING PLATE



Width; length; thickness: 164*3000*22mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping

164



PEAK BOARD

Width; length; thickness: 153.59*3000*14mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping

153.59



NINE-RING PLATE

Width; length; thickness: 205*3000*14mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping

205



DECORATIVE LINE BOARD PRODUCT CATALOG

[ENF]

Environmental
protection ENF grade



Flame retardant
B1 grade



Waterproof and
moistureproof



Bending
forming



BRIDGE SLAB

Width; length; thickness: 179.31*3000-5mm


Environmental
protection grade: EO

Fire protection level: /

179.31



Performance advantage: Waterproof & bending shaping



TRIANGLE BOARD

Width; length; thickness: 157.31*3000-14mm

Environmental
protection grade: EO

Fire protection level: /

157.31



Performance advantage: Waterproof & bending shaping



TUNNEL SLAB

Width; length; thickness: 172*3000*8mm


Environmental
protection grade: EO

Fire protection level: /

172



Performance advantage: Waterproof & bending shaping




BIG WAVES

Width; length; thickness: 186.09*3000*13mm


Environmental
protection grade: EO

Fire protection level: /

186.09



Performance advantage: Waterproof & bending shaping



PARTITION

Width; length; thickness: 176*3000*10mm

Environmental
protection grade: EO

Fire protection level: /

176



Performance advantage: Waterproof & bending shaping



LITTLE GREAT WALL;

Width; length; thickness: 140*3000*7.8mm

Environmental
protection grade: EO

Fire protection level: /

140



Performance advantage: Waterproof & bending shaping

DECORATIVE LINE BOARD PRODUCT CATALOG

[ENF]

Environmental
protection ENF grade



Flame retardant
B1 grade



Waterproof and
moistureproof



Bending
forming



BILIRUBIN;

Width; length; thickness: 158.5*3000*15mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping





SURFBOARD

Width; length; thickness: 159*3000*14mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping





THREE-SLOT PLATE

Width; length; thickness: 162*3000*18mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping




FINE GRILLE

Width; length; thickness: 164*3000*13.5mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping




CIRCULAR GROUP PLATE

Width; length; thickness: 200*3000*8mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



LARGE DISK

Width; length; thickness: 209*3000*20mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



DECORATIVE LINE BOARD PRODUCT CATALOG

ENF

Environmental
protection ENF grade




Flame retardant
B1 grade



waterproof and
moistureproof



Bending
forming



INNER ARC PLATE

Width; length; thickness: 173/3000/12mm

173

Environmental
protection grade: EO

Fire protection level: /



Performance advantage: Waterproof & bending shaping



SQUARE GROUP PLATE

Width; length; thickness: 205/3000/12mm

205

Environmental
protection grade: EO

Fire protection level: /



Performance advantage: Waterproof & bending shaping



70 BASEBOARD;

Width; length; thickness: 70/3000/13mm

70

Environmental
protection grade: EO

Fire protection level: /



Performance advantage: Waterproof & bending shaping



70 BASEBOARD;

Width; length; thickness: 70/3000/15mm

70

Environmental
protection grade: EO

Fire protection level: /



Performance advantage: Waterproof & bending shaping




60 BASEBOARD;

Width; length; thickness: 60/3000/11mm

60

Environmental
protection grade: EO

Fire protection level: /



Performance advantage: Waterproof & bending shaping




75 BASEBOARD;

Width; length; thickness: 75/3000/12mm

75

Environmental
protection grade: EO

Fire protection level: /



Performance advantage: Waterproof & bending shaping

DECORATIVE LINE BOARD PRODUCT CATALOG

[ENF]

Environmental
protection ENF grade




Flame retardant
B1 grade



Waterproof and
moistureproof



Bending
forming




SEAM ALLOWANCE

Width; length; thickness: 35*3000*11mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



35




OUTER CORNER BEAD

Width; length; thickness: 25*3000*25mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



25



25



WALL ANGLE TRIM;

Width; length; thickness: 35*3000*11mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



35



11

DECORATIVE LINE BOARD PRODUCT CATALOG


ENF

Environmental
protection ENF grade

Flame retardant
B1 grade

Waterproof and
moistureproof

Bending
forming



ROTATING GRILLE STYLE A;

Width; length; thickness: 54.7*3000*25mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



ROTATING GRILLE B-STYLE

Width; length; thickness: 51.7*3000*29mm

Environmental
protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping




CASE DISPLAY

grating plate




Decorative line board installation elevation drawing






CASE DISPLAY

Large disk




Decorative line board installation elevation drawing






CASE DISPLAY

Peak board



Decorative line board installation elevation drawing






CASE DISPLAY

Bilirubin;



Decorative line board installation elevation drawing






CASE DISPLAY

Nine-ring plate



Decorative line board installation elevation drawing






CASE DISPLAY

Fine grille



Decorative line board installation elevation drawing





CASE DISPLAY

PARTITION



Decorative line board installation elevation drawing



MATCHING COLOR·WPC WOOD-PLASTIC DOOR)




DOOR

Matching color·WPC wood-plastic door 40 thick




Material structure diagram





WPC wood-plastic door 40 thick - door type chart





Size specifications (MM)	Thickness (MM)	Material;
Maximum door opening Width 1180* Height 3043	Door leaf: 40; Jamb: 35;	Multi-layer; solid wood composite
Environmental protection grade	Fire protection level	Production process
E1		PUR edge sealing for door panel PUR flat bonding/covering
		Performance advantage
		Multiple sets of lines available;





SECTIONAL DRAWING



SECTIONAL DRAWING



SECTIONAL DRAWING



Optional hardware combination;



V series magnetic
door lock

Multiple models
available



5 inch flat folding leaf

Matte black/brushed
silver/gold



Earth suction

Matte black/brushed
silver/bronze green



Wall suction


Dull black

DOOR)

Matching color·WPC wood-plastic door 40 thick




Material structure diagram





WPC wood-plastic door 45 thick - door type chart





Size specifications (MM)	Thickness (MM)	Material;
Maximum door opening Width 1180* Height 3043	Door leaf: 45; Jamb: 40;	Multi-layer; solid wood composite
Environmental protection grade	Fire protection level	Production process
E1		PUR edge sealing for door panel PUR flat bonding/covering
		Performance advantage
		Multiple sets of lines available;




SECTIONAL DRAWING



SECTIONAL DRAWING



SECTIONAL DRAWING



Optional hardware combination;



V series magnetic
door lock

Multiple models
available



5 inch flat folding leaf

Matte black/brushed
silver/gold



Earth suction

Matte black/brushed
silver/bronze green




Wall suction

Dull black


Matching color • WPC wood-plastic door renderings display >




METAL·FOLD LINE)



ARBITRARY MATCHING SERIES PRODUCT SCHEMATIC DIAGRAM




PRODUCT DIAGRAM OF THE CLOSING LINE




Application product display




Bamboo crystal bumper





letter slot




side collection



I-beam





grating plate



12MM Bamboo Acrylic Wall Panel; Four Sides Edge Sealing; Grooving

INSTALLATION SIZE



Soil character string splicing



SPACE APPLICATION LIVING ROOM








SPACE APPLICATION LIVING ROOM

Artistic background
B3004D Clouds Pulling Grey

Bamboo crystal bumper
B3036M wood grain series

grating plate
B3036M wood grain series






Soil character slot splicing



Artistic background




letter slot



I-beam



grating plate



side collection



INSTALLATION SIZE

ARTISTIC BACKGROUND)

Modern interpretation of oriental charm~

Chinese aesthetics, advocating minimalism, mostly emphasizes "overflowing when full", leaving room for three parts in everything, and therefore advocates a lot of space in aesthetics. spacious but not empty, full but not overflowing, with a sense of appropriate measure.

Modern minimalist Chinese style, with a modern and concise design language, creates a home art that is more in line with the aesthetics of the current young people, making home beautiful to a new height.



PART1 INSPIRATION SOURCE

Set name "Elegant Oriental Charm"

Style philosophy

Combining traditional Chinese elements with modern minimalist design concepts, through simple lines and elegant colors, creating a space atmosphere that is both oriental and modern

Interpretation of the system

The "Oriental Elegance" series draws inspiration from classical culture, incorporating modern living concepts

to create a warm and culturally rich living environment. This series not only focuses on aesthetic appearance but also emphasizes functional practicality, allowing each piece of furniture to perfectly integrate into your daily life.

Design inspiration

Inspired by the symmetrical beauty of traditional Chinese gardens and the philosophy of harmonious coexistence with nature, combined with the modern urban people's pursuit of a simple yet quality lifestyle, a brand new Chinese-style home aesthetics is created. The beauty of simple Chinese style lies in its charm and elegance. It integrates the essence of Chinese culture into life, and combines modern design with bold creation, making the space simple, clear, simple and restrained, presenting a strong oriental sentiment.



PART2 COLOR INTERPRETATION




A486FG / Lunar eclipse ashes



B5026M / North American oak



LW001 / Pandora



LW021 / Lacquered black

This case is a minimalist Chinese-style design, featuring the classic Chinese color combination of brown and beige, complemented by touches of gold or silver, creating elegant and tranquil space. Beige represents purity and elegance, while brown symbolizes stability and maturity, complementing each other to showcase a unique oriental charm

A touch of elegant color, a few strokes of refined lines, collided perfectly. Although simple but not simple, let the design bring a faint artistic conception beauty, it is more in line with the aesthetics and needs of modern people.

PART4 PRODUCT POWER INTERPRETATION

"Elegant Oriental" series

With its exquisite craftsmanship, excellent material selection and perfect color matching, it demonstrates Baixiang's outstanding strength in the field of high-end customization. it is the living room, bedroom or study, it can provide you with a comprehensive high-quality life experience.



Craft highlights

Arc:
Lofting process;

Curved arc made by the
grooving process,paired with
the grille, smooth
lines,graceful shape.



PARTS SPATIAL VISUAL REPRESENTATION


01 Living room

The living room, as the center of family activities, adopts an open design in the "Elegance of the East" series, spacious and bright; pping into the living room is like stepping into a vivid ink painting, every detail exudes the beauty of the East. The TV background wall and the sideboard are ingen combined, both practical and beautiful.



Soft forming semi-cut handle:
Ox horn milling type handle

Innovative bull-nose milling type handle design, not only beautiful and generous, but also convenient to use.



Puzzle frame cabinet door

Modern aesthetics art design.



PARTS SPATIAL VISUAL REPRESENTATION

01 Living room

Each space focuses on the perfect combination of details and functionality. From the fabric sofa and coffee table in the living room to the exquisite dining table and chairs and floral in the restaurant, the wooden furniture enhances the overall texture, showing a pursuit of taste and quality.



Craft highlights

Folded corner embedded art background


Unique folding angle technology with exquisite artistic background adds artistic atmosphere.





Bend molding color matching;


Bent plastic shaping that coordinates with the overall stylefully demonstrates the unique craftsmanship.



PARTS SPATIAL VISUAL REPRESENTATION

02 bedroom

As night falls, the warm light of the bedroom turns it into a harbor for the soul. The bedroom space focuses on privacy and comfort, using environmentally friendly materials paying attention to ergonomic design, to provide users with a quiet and comfortable resting environment.



Craft highlights

Window sill wallboard color matching set

Reduce the sense of abruptness of the window sill. Blend into the wall. Make the indoor space look more natural and harmonious




Cabinet body irregular edge sealing

Cabinet body with irregular edge. one-time molding. the groove is smooth and seamless with strong integrity and more beautiful



Full-height door (top bottom)


Not only does it maximize the storage space, but it also "eliminates" the top health dead corner, making it clean and spacious.



PARTS SPATIAL VISUAL REPRESENTATION

03 Study

In the tranquil study, the fragrance of books lingers, immersing oneself in the ocean of knowledge. The study design focuses on the balance of functionality and, with a reasonable layout of bookshelves and workstations, facilitating reading and work.



Craft highlights


ABA layer plate

Made of high-quality solid wood plywood, with a surface film treatment, durable and easy to clean.



Structureless color-matched handle;

The no-pull handle design, which is consistent with the overall furniture color, enhances visual unity.



PARTS SPATIAL VISUAL REPRESENTATION

04 Kitchen

The kitchen is not only a place where delicious food is born, but also a small world for emotional communication among family members. The kitchen is designed with an and reasonable traffic pattern, making the cooking process more smooth and convenient, while maintaining cleanliness.



Craft highlights


waterproofing process

Single-sided pressure-adhered aluminum foil, Moisture and humidity are not easy to penetrate, Prevent deformation and mildew, Extend service life of the cabinet.




Wall cabinet without handle;

No need for complex milling processing or adding aluminum alloy accessories, to make the space look more open and unified



Metal open rack glowing backplate

Acrylic light-transmitting board, applied to open grid, let the kitchen space overflow with a distinctive artistic atmosphere.





www.ygcivil.com