



YG flooring Introduction



Introduction to the material

SPC flooring (Stone Plastic Composite) is a new type of environmental composite material made of natural stone powder, calcium powder and polyvinyl chloride (PVC) resin as the main raw materials, which is made by high-temperature extrusion molding process. The core layer is composed of high-density stone-plastic substrate, combined with a multi-layer.

Features

Environmental protection and safety: does not contain formaldehyde, benzene and other harmful substances, no glue is required in the production process, in line with GB/T 34440-2017 national standard, can be recycled.

Excellent physical properties: outstanding waterproof and moisture-proof performance, suitable for kitchen, bathroom and other humid environments; The fire rating is up to B1, and the flame retardant performance is better than that of traditional wooden flooring; The wear-resistant rotation is more than 8000 rpm, and the impact resistance is strong.

Easy installation: Snap-on design, support DIY installation, no need for professional tools, save labor costs, and can be quickly put into use.

Decoration diversity: The surface presents a variety of textures such as wood grain and stone grain through the color film layer to meet the needs of personalized decoration.





Advantageous scenarios


Commercial places (hotels, shopping malls), medical spaces and residential areas with high humidity are not easy to deform because of their stability that can adapt to temperature changes (-20°C to 60°C).

Maintenance recommendations

Use a slightly damp mop for daily cleaning and wax regularly (about once every 18 months) to maintain the shine. If the surface is grinding The damage is significant and can be extended by refurbishment.

Function introduction

01



Water resistance


SPC flooring has excellent waterproof performance, suitable for kitchens, bathrooms and other moisture Wet environment.

02



Abrasion resistance

High wear-resistant layer for long service life.




Benefits:




Environmentally friendly and non-toxic

SPC flooring is made of environmentally friendly materials, no pollution and no peculiar smell.



Easy to install

With splicing design, installation is easy and fast.





4.2mm Wood grain / 4.0mm Wood grain series / 3.6mm Wood grain





4.2mm Wood grain / 4.0mm Wood grain series / 3.6mm Wood grain

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1220*183*4.2/3.6mm

Size: 13/14 tablets

Packing weight: 8/7kg/per square meter

8007/8007A



8015/8015A



8017/8017A



8018/8018A



8020/8020A



8021/8021A



8022/8022A



8023/8023A



8025/8025A



8029/8029A



8030/8030A



8013/8013A





4.5mm New material wood grain





4.5mm New material wood grain

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1220*180*4.5mm


Size: 11 tablets

Packing weight: 9KG/sqare meter





5.0mm Stone series





5.0mm Stone series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1200*310*5mm

Size: 5 tablets

Packing weight: 10kg/per square meter

521



522




523



525



526



527



528



529





5.0mm Wood grain series





5.0mm Wood grain series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1220*180*5.0mm

Size: 10 tablets

Packing weight: 10kg/per square meter



 5.0mm Anti-cigarette butt hot wood grain series





5.0mm Anti-cigarette butt hot wood grain series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1225*185*5.0mm

Size: 10 tablets

Packing weight: 10kg/per square meter





6.0mm Wood grain series/4.5+1.5IXPEseries





6.0mm Wood grain series/4.5+1.5 IXPE series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1225*185*6.0mm

Size: 9 tablets

Packing weight: 12kg/per square meter

6001/6001B



6002/6002B



6003/6003B



6007/6007B



6008/6008B



6009/6009B



6010/6010B



6011/6011B



6012/6012B



6.5mm IXPE series





6.5mm IXPE series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1225*185*6.5mm

Size: 9 tablets

Packing weight: 13kg/per square meter

744801



744802



744803



744804



744808



744810





7.0mm Diamond series





7.0mm Diamond series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1225*185*7mm

Size: 7 tablets

Packing weight: 14kg/per square meter

9901




9902



9904



9905





8.0mm Wood grain series/8.0 IXPE series





8.0mm Wood grain series/8.0 IXPE series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1225*185*8mm

Size: 6 tablets

Packing weight: 16kg/per square meter



12mm Hollow series






12mm Hollow series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1225*185*12mm

Size: 8 tablets

Packing weight: 24kg/per square meter



Fishbone Parquet Series






Fishbone Parquet Series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 1220*310*5mm

Size: 5 tablets

Packing weight: 10kg/per square meter





Herringbone Parquet Series





Herringbone Parquet Series

Product features: moisture-proof/waterproof/fireproof/wear-resistant/durable

Specifications: 750*150*5mm

Size: 21 tablets

Packing weight: 10kg/per square meter

551A/551B



552A/552B




553A/553B





555A/555B



556A/556B



Wood/stone embossing



Substrate material

IXPE silent pad



Brand new material




White background



Black background



Product renderings



Product renderings



Product renderings



Product renderings

